

Message

From: Taylor, Daniel [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=604369AFE4CE4AE38A870BEC38F43DF3-TAYLOR, DAN]
Sent: 5/24/2021 12:17:32 PM
To: Mroz, Aaron [mroz.aaron@epa.gov]
Subject: RE: Blades PFAS Update

That sounds good

From: Mroz, Aaron <mroz.aaron@epa.gov>
Sent: Monday, May 24, 2021 7:55 AM
To: Taylor, Daniel <taylor.daniel@epa.gov>
Subject: Blades PFAS Update

Dan,

Do you agree with this update for management for Blades?

Blades: Removal FSP for sampling the newly installed monitoring wells was approved and sampling occurred April 27th and 28th. After data validation, EPA will receive results. The consult with OSTRI and OEM for residential well sampling occurred on May 20th and OSTRI and OEM has given the approval to proceed. The QAPP to this work is being approved. Next step for the residential well sampling will be the creation of a fact sheet to send out with the access agreements to each of the residents.

Aaron Mroz
Remedial Project Manager
Environmental Protection Agency, Region III
1650 Arch Street
Philadelphia, PA 19103-2029
Mail code: 3SD22
phone 215-814-3172
mroz.aaron@epa.gov